permanently retired from use, or otherwise permanently disposed of.

- (b) A final distributor, upon sale or other distribution of a tracked device for use in or by the patient, shall promptly provide the manufacturer tracking the device with the following information:
- (1) The name and address of the final distributor,
- (2) The lot number, batch number, model number, or serial number of the device or other identifier used by the manufacturer to track the device;
- (3) The name, address, telephone number, and social security number (if available) of the patient receiving the device:
- (4) The date the device was provided to the patient or for use in the patient;
- (5) The name, mailing address, and telephone number of the prescribing physician;
- (6) The name, mailing address, and telephone number of the physician regularly following the patient if different than the prescribing physician; and
- (7) When applicable, the date the device was explanted and the name, mailing address, and telephone number of the explanting physician, the date of the patient's death, or the date the device was returned to the manufacturer, permanently retired from use, or otherwise permanently disposed of.
- (c)(1) A multiple distributor shall keep written records of the following each time such device is distributed for use by a patient:
- (i) The lot number, batch number, or model number, or serial number of the device or other identifier used by the manufacturer to track the device;
- (ii) The name, address, telephone number, and social security number (if available) of the patient using the device:
 - (iii) The location of the device;
- (iv) The date the device was provided for use by the patient;
- (v) The name, address, and telephone number of the prescribing physician;
- (vi) The name, address, and telephone number of the physician regularly following the patient if different than the prescribing physician; and
- (vii) When applicable, the date the device was permanently retired from

use or otherwise permanently disposed of.

- (2) Except as required by order under section 518(e) of the act, any person who is a multiple distributor subject to the recordkeeping requirement of paragraph (c)(1) of this section shall, within 5 working days of a request from the manufacturer or within 10 working days of a request from FDA for the information identified in paragraph (c)(1) of this section, provide such information to the manufacturer or FDA.
- (d) A distributor, final distributor, or multiple distributor shall make any records required to be kept under this part available to the manufacturer of the tracked device for audit upon written request by an authorized representative of the manufacturer.
- (e) A distributor, final distributor, or multiple distributor may petition for an exemption or variance from one or more requirements of this part according to the procedures in §821.2.

EFFECTIVE DATE NOTE: At 67 FR 5952, Feb. 8, 2002, §821.30 was amended in paragraphs (b)(3) and (c)(1)(ii) by removing the semicolon at the end of each paragraph and by adding in its place ", unless not released by the patient under §821.55(a);", effective May 9, 2002.

Subpart D—Records and Inspections

§821.50 Availability.

- (a) Manufacturers, distributors, multiple distributors, and final distributors shall, upon the presentation by an FDA representative of official credentials and the issuance of Form FDA 482 at the initiation of an inspection of an establishment or person under section 704 of the act, make each record and all information required to be collected and maintained under this part and all records and information related to the events and persons identified in such records available to FDA personnel.
- (b) Records and information referenced in paragraph (a) of this section shall be available to FDA personnel for purposes of reviewing, copying, or any other use related to the enforcement of the act and this part. Records required to be kept by this part shall be kept in

§821.55

a centralized point for each manufacturer or distributor within the United States.

[58 FR 43447, Aug. 16, 1993, as amended at 65 FR 43690, July 14, 2000]

§821.55 Confidentiality.

(a) Records and other information submitted to FDA under this part shall be protected from public disclosure to the extent permitted under part 20 of this chapter, and in accordance with §20.63 of this chapter, information contained in such records that would identify patient or research subjects shall not be available for public disclosure except as provided in those parts.

(b) Patient names or other identifiers may be disclosed to a manufacturer or other person subject to this part or to a physician when the health or safety of the patient requires that such persons have access to the information. Such notification will be pursuant to agreement that the record or information will not be further disclosed except as the health aspects of the patient requires. Such notification does not constitute public disclosure and will not trigger the availability of the same information to the public generally.

EFFECTIVE DATE NOTE: At 67 FR 5952, Feb. 8, 2002, §821.55 was amended by redesignating paragraphs (a) and (b) as paragraphs (b) and (c), respectively, and by adding a new paragraph (a), effective May 9, 2002. For the convenience of the user, the added text is set forth as follows:

§821.55 Confidentiality.

(a) Any patient receiving a device subject to tracking requirements under this part may refuse to release, or refuse permission to release, the patient's name, address, telephone number, and social security number, or other identifying information for the purpose of tracking.

* * * * *

§821.60 Retention of records.

Persons required to maintain records under this part shall maintain such records for the useful life of each tracked device they manufacture or distribute. The useful life of a device is the time a device is in use or in distribution for use. For example, a record may be retired if the person maintain-

ing the record becomes aware of the fact that the device is no longer in use, has been explanted, returned to the manufacturer, or the patient has died.

PART 860—MEDICAL DEVICE CLASSIFICATION PROCEDURES

Subpart A—General

Sec.

860.1 Scope.

860.3 Definitions.

860.5 Confidentiality and use of data and information submitted in connection with classification and reclassification.

860.7 Determination of safety and effectiveness.

Subpart B—Classification

860.84 Classification procedures for "old devices."

860.93 Classification of implants, life-supporting or life-sustaining devices.

860.95 Exemptions from sections 510, 519, and 520(f) of the act.

Subpart C—Reclassification

860.120 General.

860.123 Reclassification petition: Content and form.

860.125 Consultation with panels.

860.130 General procedures under section 513(e) of the act.

860.132 Procedures when the Commissioner initiates a performance standard or premarket approval proceeding under section 514(b) or 515(b) of the act.

860.134 Procedures for "new devices" under section 513(f) of the act and reclassification of certain devices.

860.136 Procedures for transitional products under section 520(1) of the act.

AUTHORITY: 21 U.S.C. 360c, 360d, 360e, 360i, 360, 371, 374.

Source: 43 FR 32993, July 28, 1978, unless otherwise noted.

Subpart A—General

§860.1 Scope.

(a) This part implements sections 513, 514(b), 515(b), and 520(1) of the act with respect to the classification and reclassification of devices intended for human use.

(b) This part prescribes the criteria and procedures to be used by classification panels in making their recommendations and by the Commissioner in making the Commissioner's